## This Page Is Inserted by IFW Operations and is not a part of the Official Record

#### BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.


Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

#### IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents *will not* correct images, Please do not report the images to the Image Problem Mailbox.

Fig. 1





32h 40h

Fig. 2A




Fig. 2B

Recovery from 48 hour exposure to tunicamycin (BAMEC)




Fig. 3A

### Recovery from 72 hour exposure to tunicamycin (BAMEC)




Fig. 3B




Fig. 4A






Fig. 4B








Fig. 7A Fig. 7B Fig. 7D Fig. 7E







Fig. 9A


Fig. 9B

Fig.9c










23%

G2+M-phase (24 hours) 35%

S-phase (8 hours) 12%






Fig. 13B

Fig.13C

Fig. 13D

